

Date Issued	June 05, 2025	Status	Closed
Provider Name	Pamela Jensen		
Provider ID	018030096		
Provider Address	44002 283rd St, Freeman, SD 57029, USA		
Provider Contact	PAMELA JENSEN		

The items listed below are those that the provider was not in compliance with at the time of the inspection.

Compliance Plan Action #1

Administrative Rule:

67:42:17:42

A provider shall maintain a record for each child that includes:

- (1) The child's name and date of birth;
- (2) The parent or guardian's name and telephone number;
- (3) An emergency contact name and telephone number;
- (4) Parental permission for emergency medical treatment;
- (5) The names of individuals authorized to pick up the child;
- (6) Health information, including any allergies or special needs;
- (7) A current immunization record or, for a school-age program, the name of the child's school;
- (8) Parental permission for medication;
- (9) The child's attendance records;
- (10) The date of the child's enrollment; and
- (11) The date on which the child's enrollment ends.

The provider shall annually review and update each record required under this section, and make the child's record available to the department, upon request.

Summary of Non-Compliance Finding:

Updated information was needed for four child files.

Corrections to be Made:

All children are to have current information on file. The expected completion date is 05/28/2025.

Corrections Made:

Verification was received on 05/27/2025 that updated information was obtained for the child files.

Anticipated Completion Date:
June 05, 2025

Date Completed:
June 05, 2025

Compliance Plan Action #2

Administrative Rule:

67:42:17:37

Center and school-age programs operating outside of a school building shall follow applicable construction and fire safety requirements, as outlined in chapters 61:15:05 and 61:15:06. School-age programs operating in a school building

shall follow applicable construction and fire safety requirements, as outlined in chapters 61:15:01, 61:15:02, and 61:15:07.

A family day care home must have the following fire safety measures in place:

- (1) A working smoke detector must be located on each level of the home;
- (2) A fully charged, portable fire extinguisher, with a minimum 2A rating, as identified on the extinguisher label, must be kept in or within fifteen feet of the kitchen or food preparation area;
- (3) A carbon monoxide detector must be installed, according to the manufacturer's instructions, if a fuel burning appliance is present in the home;
- (4) Each level of the home must have at least two remote exits that shall remain clear of obstructions. One of these exits must be a standard-sized door, and the other may be either a standard-sized door or an unobstructed, operable window, having at least five square feet of openable space, with a minimum width of twenty inches and a minimum height of twenty-four inches; and
- (5) Whenever a portable space heater, a wood burning stove, or a fireplace is in use, the heater, stove, or fireplace must be inaccessible to children.

Summary of Non-Compliance Finding:

The home has a fuel burning furnace; a carbon monoxide detector is not available in the home.

Corrections to be Made:

A carbon monoxide detector must be installed. The expected completion date is 05/28/2025.

Corrections Made:

Verification was received on 05/27/2025 that a carbon monoxide detector was installed.

Anticipated Completion Date:

June 05, 2025

Date Completed:

June 05, 2025

Compliance Plan Action #3

Administrative Rule:

67:42:17:26

A nap mat, blanket, or other sleep surface, other than the floor, for children over one year of age must be available for each child during nap time. A sleep surface must be maintained in good repair. A provider shall follow the safe sleep practices contained in Caring for Our Children: National Health and Safety Performance Standards, 4th Edition, for infants under the age of one.

Summary of Non-Compliance Finding:

An infant had fallen asleep on their stomach during "tummy time" on a blanket on the floor.

Corrections to be Made:

Required safe sleep practices must be followed at all times. If an infant falls asleep in a environment not intended for sleeping, they must be moved to an approved sleep environment.

Corrections Made:

The blanket was removed immediately; the infant woke up when the blanket was removed so no further safe sleep corrections were required. The provider will assure that infants sleep in approved sleep environments.

Anticipated Completion Date:

June 05, 2025


Date Completed:

June 05, 2025

Your signature below certifies you have read and understand the non-compliance findings and agree to make corrections to be compliant with the identified administrative rules.

Pamela R. Jensen

Printed Name of Provider/Agency Contact



Signature of Provider/Agency Contact

June 05, 2025

Date

The Department of Social Services, Office of Licensing and Accreditation has reviewed and accepted the above plan.

Deb Bigge

Printed Name of DSS Staff



5/15/2025, 11:16:44 AM

Signature of DSS Staff:

May 14, 2025

Date