

Date Issued	June 05, 2025	Status	Closed
Provider Name	THE PURPLE CRAYON		
Provider ID	018043210		
Provider Address	500 E 1st St, Tea, SD 57064, USA		
Provider Contact	Mary Konvalin		

The items listed below are those that the provider was not in compliance with at the time of the inspection.

Compliance Plan Action #1

Administrative Rule:

67:42:17:25

All equipment, utensils, kitchenware, dining tables, and food contact surfaces of equipment must be washed, rinsed, and sanitized after each meal. Toys capable of being placed in a child's mouth must be cleaned and sanitized daily, using a solution approved by the department.

All providers, program employees, and children shall wash their hands with soap, before preparing food or beverages, eating, handling food, or feeding a child, and after changing a diaper, using the toilet, helping a child use a toilet, or coming into contact with bodily fluid.

Summary of Non-Compliance Finding:

During the facility safety inspection conducted on May 1, 2025, by the Department of Public Safety, the sanitizer used for toys was found to be below the recommended parts per million (ppm) levels.

Corrections to be Made:

The sanitizer must be mixed daily following the bleach water sanitizing chart.

Corrections Made:

On June 9, 2025, the Office of Licensing and Accreditation confirmed that the program is utilizing the sanitizing chart and is preparing the bleach mixture each morning.

Anticipated Completion Date:
June 05, 2025

Date Completed:
June 09, 2025

Compliance Plan Action #2

Administrative Rule:

67:42:17:35

Playgrounds for all child care settings must be safe, in good repair, and free of debris, trash, and weeds. Playground

equipment must be installed according to the manufacturer's instructions and maintained in good repair.

For a center program, a fence that measures at least four feet high is required around the center's outdoor play space.

For a family day care or school-age program, a fence that measures at least forty-two inches high may be required to separate the outdoor play space, if the department determines a body of water, vehicular traffic, or other hazard poses a risk of injury or death to a child.

Summary of Non-Compliance Finding:

During the Facility Safety Inspection conducted on May 1, 2025, it was found that the gate to the outdoor play area, located to the right of the exit door leading to the playground, does not meet the required height of 48 inches.

Corrections to be Made:

A fence at least 48 inches high is required around a center program's outdoor play space.

Corrections Made:

The program will no longer use the play area located to the right of the exit door leading to the playground until an approved gate is installed. Additional outdoor space that is fully enclosed with a fence will be used.

Anticipated Completion Date:
June 06, 2025

Date Completed:
July 09, 2025

Your signature below certifies you have read and understand the non-compliance findings and agree to make corrections to be compliant with the identified administrative rules.

Mary Konvalin

Printed Name of Provider/Agency Contact



Signature of Provider/Agency Contact

May 19, 2025

Date

The Department of Social Services, Office of Licensing and Accreditation has reviewed and accepted the above plan.

Teri Pieters

Printed Name of DSS Staff

A handwritten signature in black ink, appearing to be "D. J. [unclear]".

6/25/2025, 3:23:57 PM

Signature of DSS Staff:

June 25, 2025

Date