

Date Issued	October 15, 2025	Status	Closed
Provider Name	BLOOM & GROW ACADEMY		
Provider ID	018043120		
Provider Address	451 Shadow Creek Dr, Harrisburg, SD 57032, USA		
Provider Contact	Crystal Carlson		

The items listed below are those that the provider was not in compliance with at the time of the inspection.

### Compliance Plan Action #1

**Administrative Rule:**

67:42:17:38

The following must be inaccessible to a child:

- (1) Firearms;
- (2) Pellet guns, BB guns, and cap guns;
- (3) Matches and lighters;
- (4) Tobacco products;
- (5) Choking and strangulation hazards;
- (6) Items capable of being pulled or tipped onto a child;
- (7) A platform measuring more than thirty inches above ground level, unless surrounded by a railing that is at least thirty-six inches tall with no more than five inches between openings; and
- (8) Other hazardous condition as identified by the department.

The department may direct a provider to remove or correct a hazardous condition or circumstance not covered in this chapter, if the department considers the conditions or circumstances to have the potential to cause injury or illness to the children in care.

**Summary of Non-Compliance Finding:**

The fluorescent ceiling light cover is not fully secured in the infant classroom.

**Corrections to be Made:**

The program will secure the fluorescent ceiling light cover and provide evidence to the Office of Licensing and Accreditation.

**Corrections Made:**

The program provided a picture of the fluorescent ceiling light cover secured as evidence to the Department of Licensing and Accreditation.

**Anticipated Completion Date:**  
October 17, 2025

**Date Completed:**  
October 16, 2025

**Compliance Plan Action #2**

**Administrative Rule:**

67:42:17:35

Playgrounds for all child care settings must be safe, in good repair, and free of debris, trash, and weeds. Playground equipment must be installed according to the manufacturer’s instructions and maintained in good repair.

For a center program, a fence that measures at least four feet high is required around the center’s outdoor play space.

For a family day care or school-age program, a fence that measures at least forty-two inches high may be required to separate the outdoor play space, if the department determines a body of water, vehicular traffic, or other hazard poses a risk of injury or death to a child.

**Summary of Non-Compliance Finding:**

One of the posts on the outside shade has screws that are exposed.  
The Southwest playground equipment is leaning to one side.

**Corrections to be Made:**

The program will repair the exposed screws and the playground equipment in the southwest area, and it will provide evidence to the Office of Licensing and Accreditation.

**Corrections Made:**

The screws on the post have been replaced and are not exposed.  
The section of the playground in the Southwest area that was leaning has been removed.

**Anticipated Completion Date:**  
October 16, 2025

**Date Completed:**  
October 16, 2025

**Your signature below certifies you have read and understand the non-compliance findings and agree to make corrections to be compliant with the identified administrative rules.**

LeAnna High Bear  
Printed Name of Provider/Agency Contact



Signature of Provider/Agency Contact

October 15, 2025  
Date

**The Department of Social Services, Office of Licensing and Accreditation has reviewed and accepted the above plan.**

Teri Pieters

Printed Name of DSS Staff

---

A handwritten signature in black ink that reads "Teri Pieters". The signature is written in a cursive style with a large initial "T" and "P".

10/15/2025, 3:20:23 PM

Signature of DSS Staff:

---

October 15, 2025

Date

---