

Date Issued	October 20, 2025	Status	Closed
Provider Name	Eagle Nest Learning Center		
Provider ID	010605535		
Provider Address	323 SD-44, Wanblee, SD 57577, USA		
Provider Contact	Pigeon Big Crow		

The items listed below are those that the provider was not in compliance with at the time of the inspection.

Compliance Plan Action #1

Administrative Rule:

67:42:17:38

The following must be inaccessible to a child:

- (1) Firearms;
- (2) Pellet guns, BB guns, and cap guns;
- (3) Matches and lighters;
- (4) Tobacco products;
- (5) Choking and strangulation hazards;
- (6) Items capable of being pulled or tipped onto a child;
- (7) A platform measuring more than thirty inches above ground level, unless surrounded by a railing that is at least thirty-six inches tall with no more than five inches between openings; and
- (8) Other hazardous condition as identified by the department.

The department may direct a provider to remove or correct a hazardous condition or circumstance not covered in this chapter, if the department considers the conditions or circumstances to have the potential to cause injury or illness to the children in care.

Summary of Non-Compliance Finding:

Deck on the east side exit needs repair. Spindles are not all attached.

Corrections to be Made:

Spindles must be repaired and verification must be sent to the Office of Licensing and Accreditation. The program has requested additional time to repair the deck.

Corrections Made:

The spindles were repaired and the program sent picture verification to the Office of Licensing and Accreditation.

Anticipated Completion Date:
December 31, 2025

Date Completed:
January 09, 2026

Compliance Plan Action #2

Administrative Rule:

67:42:17:35

Playgrounds for all child care settings must be safe, in good repair, and free of debris, trash, and weeds. Playground equipment must be installed according to the manufacturer’s instructions and maintained in good repair.

For a center program, a fence that measures at least four feet high is required around the center’s outdoor play space.

For a family day care or school-age program, a fence that measures at least forty-two inches high may be required to separate the outdoor play space, if the department determines a body of water, vehicular traffic, or other hazard poses a risk of injury or death to a child.

Summary of Non-Compliance Finding:

The west side of the fence is not attached safety and needs repaired.

Corrections to be Made:

The fence must be fixed and verification must be sent to the Office of Licensing and Accreditation.

Corrections Made:

The program has materials on order to fix the fence. In the interim, the program installed a board to restrict access to the fence that is damaged to prevent access by children.

Anticipated Completion Date:

October 20, 2025

Date Completed:

October 16, 2025

Your signature below certifies you have read and understand the non-compliance findings and agree to make corrections to be compliant with the identified administrative rules.

Adrienne Runs Against

Printed Name of Provider/Agency Contact



Signature of Provider/Agency Contact

September 09, 2025

Date

The Department of Social Services, Office of Licensing and Accreditation has reviewed and accepted the above plan.

Tina Uecker

Printed Name of DSS Staff

A handwritten signature in black ink, consisting of a large, stylized 'A' followed by a cursive 'n' and a horizontal flourish.

9/10/2025, 12:44:28 PM

Signature of DSS Staff:

September 10, 2025

Date