

Family Day Care Inspection Compliance Plan

Provider's Name: **Barbara Mears**

City: **Sioux Falls**

Provider Number: **011515352**

Inspector: **Chandra VanHout**

Date of Inspection: **09/09/2022**

Time of Inspection: **8:27 AM**

The items listed below are those that the provider was not in compliance with at the time of the inspection.

C. Health & Safety Features of the Home - Indoor Environmental Observations

60. Are frozen foods kept at a temperature of 0 degrees F or below? 67:42:03:11.08

Corrections To Be Made:

The temperature of frozen foods was at a temperature of 5 degrees F.

Frozen foods must be kept at a temperature of 0 degrees F or below.

Correction: the freezer temperature was turned down and is now at -3 degrees F.

Agency Action:

Compliance Plan

Suggested
Completion
Date:

09/16/2022

Actual
Completion
Date:

09/12/2022

Status: **Corrected**

69. Is the hot water temperature at hand washing sinks maintained at 120 degrees or lower?
67:42:03:11.05

Corrections To Be Made:

The hot water temperature at the hand washing sink was at 124 degrees F.

The hot water temperature at the hand washing sink must be maintained at 120 degrees or lower.

Correction: the water temperature was turned down and is now at 116 degrees F.

Agency Action:

Compliance Plan

Suggested
Completion
Date:

09/16/2022

Actual
Completion
Date:

09/12/2022

Status: **Corrected**

Barb Mears

Provider Signature

09/12/2022

Date

Chandra VanHout

Inspector Signature

09/12/2022

Date