

# Family Day Care New Location Monitoring Checklist

Provider's Name: **Barbara Boedecker**

City: **Sioux Falls**

Provider Number: **015004789**

Inspector: **Stacie Ugofsky**

Date of Inspection: **10/03/2024**

Time of Inspection: **1:03 PM**

Yes No NA

## A. Provider Practices/Maximum Capacity/Care of Children

1. Is the number of children in care 12 or less, including the provider's own children who are under six years of age? 67:42:17:23
2. If the provider is caring for more than four children under the age of two, or more than three children under one year of age, is a family day care assistant present? 67:42:17:23 NOTE: With an assistant present, a provider and assistant may not care for more than 8 children under the age of two, and no more than a total of 12 children.
3. Are children supervised at all times, including during outdoor play, by seeing or hearing, and the provider is close enough to intervene? 67:42:17:23
4. Are medications stored out of reach from children and placed in a non-absorbent container labeled medication if refrigeration is required? 67:42:17:28
5. Does the provider, family day care assistants, and children wash their hands with soap, before preparing food or beverages, eating, handling food, or feeding a child, and after changing a diaper, using the toilet, helping a child use a toilet, or coming into contact with bodily fluid? 67:42:17:25
6. If night-time care is provided, is the provider accessible and responsive to children who awaken during the night and require attention? 67:42:17:48

Yes No NA

## B. Record Keeping/Emergency Preparedness

7. Is there a written emergency preparedness and response plan in place which covers all areas required to include: evacuation; relocation; shelter-in-place; lock-down procedures; procedures for communication & reunification with families; continuity of operations; and accommodation of infants & toddlers, children with disabilities and children with chronic medical conditions? 67:42:17:43

Yes No NA

## C. Observations

### Health & Safety Features of the Home - Indoor Environmental

8. Is the department 's website and phone number (displayed on the registration certificate) prominently displayed in the provider 's home? 67:42:17:04

- 9. Are toys which have been placed in a child's mouth or have contact with other bodily fluids cleaned and sanitized daily in a dishwasher or using a product approved by the department? 67:42:17:25
- 10. Is all equipment, utensils, kitchenware, dining tables and food contact surfaces used for the care of children, washed, rinsed, and sanitized after each meal? 67:42:17:25
- 11. In food preparation areas, including tables and countertops, are surfaces smooth, non-porous, kept clean and sanitized, free of cracks and in good repair? 67:42:17:32
- 12. Is there a weekly menu posted or available for parents to view, which includes meals and snacks to be served that week? 67:42:17:30
- 13. Are infants fed according to their individual schedule and bottles are not propped? 67:42:17:31
- 14. Is food, including breastmilk and formula, properly stored, kept at the proper temperature, and protected from potential contamination? 67:42:17:31
- 15. Is there a fully charged, portable fire extinguisher, with a minimum 2A rating, kept in or within 15 feet of the kitchen or food prep area? 67:42:17:37
- 16. Is there an operating smoke detector with audible alarm located on each level of the home (regardless of if level is used for care of children or not)? 67:42:17:37
- 17. If a fuel burning appliance is present in the home, is there a carbon monoxide detector installed according to the manufacturer ' s directions? 67:42:17:37
- 18. Is the hot water temperature at hand washing sinks used by children in care maintained at 120 degrees F or lower? 67:42:17:33
- 19. When children are in care, is the home ' s temperature maintained between 65 - 75 degrees F? 67:42:17:32
- 20. Are all walls, ceilings, floors, and equipment easily cleanable, kept clean and in good repair? 67:42:17:32
- 21. Are bathroom facilities easily accessible to children and providers? 67:42:17:33
- 22. Are toilets and hand sinks kept clean and in good repair? 67:42:17:33
- 23. Are hazardous cleaning supplies inaccessible to children and stored in their original container, used and disposed of in accordance with manufacturer ' s instructions? 67:42:17:44
- 24. Are soiled diapers promptly disposed of in a leakproof, non-absorbent container with a tight-fitting lid? 67:42:17:44

- 25. Is there a designated area for diaper changing that is easily cleanable and non-absorbent? 67:42:17:44
- 26. Is the diaper changing area cleaned and sanitized after each diaper change with a sanitizing solution approved by the department? 67:42:17:44
- 27. Are all bio-contaminants properly disposed? 67:42:17:44
- 28. Does each child over one year of age have a nap mat, blanket, or other sleep surface other than the floor to lie on during nap or rest periods? 67:42:17:26
- 29. If night-time care is offered, do children have a cot or bed for sleeping? 67:42:17:48
- 30. For children under one year of age, are safe sleep recommendations provided by the American Academy of Pediatrics followed which includes: placing infants on their back to sleep using a firm, flat, non-inclined sleep surface, and infants are not placed to sleep in equipment such as swings, bouncy seats, car seats, etc.? 67:42:17:26
- 31. For children under one year of age, is the sleep area free of soft objects and bedding including loose blankets, pillows, stuffed animals, bumper pads, sleep positioning devices, bibs, etc.? 67:42:17:26
- 32. Is bedding changed between use if the sleep environment is used by more than one child? (i.e., crib, pack-and-play, bed)? 67:42:17:26
- 33. Are all sleep surfaces maintained in good condition? 67:42:17:26
- 34. Does the provider, and anyone present in the home, refrain from smoking in the home when day care children are present? SDCL 34-46-1 4
- 35. Are the following hazards inaccessible to children: fire arms; pellet guns; BB guns; cap guns; ammunition; matches; lighters; tobacco products; items capable of being pulled or tipped onto a child such as a TV, shelf, dresser; sharp objects such as knives and scissors; small objects the size of a half-dollar or smaller that could present a choking hazard; or strangulation hazards such as dangling cords? 67:42:17:38
- 36. Are all unused electrical wall sockets covered with outlet plug covers, tamper-resistant covers or made inaccessible to children? 67:42:17:39
- 37. Are portable space heaters, fireplaces, and wood burning stoves inaccessible to children when in use? 67:42:17:37
- 38. For each level of the home used for the care of children, are there 2 unblocked exits separate and remote from each other? 67:42:17:37 Note: Window wells or outside structures of building etc. cannot inhibit or prevent exiting.

- 39. If windows are used as a second exit, does the window provide a clear opening that is at least 20 inches wide and 24 inches high and 5.0 square feet in area to ensure a person can exit from the window, and easily opened from the inside to allow evacuation? 67:42:17:37
- 40. Are all open-sided floor and wall openings, and platforms inside & outside the home which are more than 30 " inches above ground level, guarded by a barrier that is at least 36 tall and no more than 5 " between openings? 67:42:17:38
- 41. Are all pets confined and kept away from children if there is a history of aggression? 67:42:17:40
- 42. Is there documentation showing pets have current vaccination records? 67:42:17:40
- 43. Are pet's living quarters clean and sanitary? 67:42:17:40

**Health & Safety Features of the Home - Outdoor Environmental  
D. Observations**

Yes

No

NA

- 44. Is the outside play area safe, in good repair, and free of debris, trash, weeds and hazardous material? 67:42:17:35
- 45. Is the playground equipment installed according to the manufacturer ' s instructions and in good repair? 67:42:17:35
- 46. Are all play areas which are near an area that is dangerous or life - threatening that could pose a risk of a serious injury to children enclosed with a fence that is at least 42 " high? 67:42:17:35 Note: This includes but is not limited to pools, water filled ditches, high traffic areas, etc.
- 47. In areas where any bodies of water are present, is the provider outside and able to see and hear the children, and close enough to intervene at all times? 67:42:17:36 NOTE: This includes but is not limited to pools, wading pools, and water filled ditches.
- 48. If a wading pool is used, is it drained after each use? 67:42:17:36
- 49. If a pool is used, but not drained after each use, is there a five foot fence or barrier surrounding all sides of the pool and a latched gate restricting access into the pool area? 67:42:17:36
- 50. If a hot tub is present, does it have a secure cover? 67:42:17:36