

Facility Safety Fire & Life Safety / Environmental Health Compliance Plan

Provider's Name: **Creator's Kids**

City: **Sioux Falls**

Provider Number: **018043065**

Inspector: **Sarah Boese**

Date of Inspection: **08/30/2024**

Time of Inspection: **1:28 PM**

The items listed below are those that the provider was not in compliance with at the time of the inspection.

B. Environmental Health

40. Are handwashing sinks used for diaper changing different than the sinks used for food or bottle prep?
67:42:17:33

<p>Corrections To Be Made:</p> <p>The infant rooms are using handwashing sinks for purposes beyond just washing hands.</p> <p>Handwashing sinks used for diaper changing must be separate from those used for food or bottle preparation.</p> <p>Correction: The program will utilize the kitchen to source water for food preparation.</p>	<p>Agency Action:</p> <p>Compliance Plan</p> <table border="0"> <tr> <td style="text-align: right;">Suggested Completion Date:</td> <td style="text-align: right;">Actual Completion Date:</td> </tr> <tr> <td style="text-align: right;">09/13/2024</td> <td style="text-align: right;">09/10/2024</td> </tr> </table> <p>Status: Corrected</p>	Suggested Completion Date:	Actual Completion Date:	09/13/2024	09/10/2024
Suggested Completion Date:	Actual Completion Date:				
09/13/2024	09/10/2024				

50. Are the following hazards inaccessible to children: fire arms; pellet guns; BB guns; cap guns; ammunition; matches; lighters; tobacco products; items capable of being pulled or tipped onto a child such as a TV, shelf, dresser; sharp objects such as knives and scissors; small objects the size of a half-dollar or smaller that could present a choking hazard; or strangulation hazards such as dangling cords? 67:42:17:38

<p>Corrections To Be Made:</p> <p>The screw under the countertop next to the mini fridge in Preschool Prep 2, needs to be removed or inverted to prevent the sharp end from showing.</p> <p>Sharp objects are to be inaccessible to children.</p> <p>Correction: The provider removed the screw and installed one that is flush with the countertop surface.</p>	<p>Agency Action:</p> <p>Compliance Plan</p> <table border="0"> <tr> <td style="text-align: right;">Suggested Completion Date:</td> <td style="text-align: right;">Actual Completion Date:</td> </tr> <tr> <td style="text-align: right;">09/09/2024</td> <td style="text-align: right;">09/10/2024</td> </tr> </table> <p>Status: Corrected</p>	Suggested Completion Date:	Actual Completion Date:	09/09/2024	09/10/2024
Suggested Completion Date:	Actual Completion Date:				
09/09/2024	09/10/2024				

C. Food Service

71. Is food, including breastmilk and formula, properly stored, kept at the proper temperature, and protected from potential contamination? 67:42:17:31 NOTE: Refrigerator temperature should be maintained at 41 degrees F or below, and the freezer temperature maintained at 0 degrees F or below to ensure proper storage of food, breastmilk, and formula.

Corrections To Be Made:	Agency Action:	
In the mini refrigerator in Preschool 1, milk was being stored where the temperature measured above 41 degrees Fahrenheit.	Compliance Plan	
For optimal food storage, refrigerators must be kept at 41F or lower, while freezers must be at 0F or lower.	Suggested Completion Date:	Actual Completion Date:
Correction: The program is storing the milk in the refrigerator in the kitchen until they can replace the refrigerator in Preschool 1.	09/09/2024	10/03/2024
	Status: Corrected	

Crystal Doppler

Provider Signature

08/30/2024

Date

Sarah Boese

Inspector Signature

08/30/2024

Date